

BIBLIOGRAPHY

- Alderman, N., Knight, C., & Henman, C. (2002).**
Aggressive behaviour observed within a neurobehavioural rehabilitation service: Utility of the OAS-MNR in clinical audit and applied research. *Brain Injury* Vol 16(6) Jun 2002, 469-490.
- Andersson, S., Gundersen, P. M., & Finset, A. (1999).**
Emotional activation during therapeutic interaction in traumatic brain injury: effect of apathy, self-awareness and implications for rehabilitation. *Brain Injury*, 13(6), 393-404.
- Annegers, J. F., Grabow, J. D., Kurland, L. T., & Laws, E. R. (1980).** The incidence, causes, and secular trends of head trauma in Olmsted County, Minnesota. *Neurology*, 30, 912-919.
- Archer, J., & Coyne, S. M. (2005).**
An integrated review of indirect, relational and social aggression. *Personality and Social Psychology Review*, 9(3), 212-230.
- Bernstein, D. M. (1999).**
Recovery from mild head injury. *Brain Injury*, 13, 151-172.
- Bezeau, S. C., Bogod, N. M., & Mateer, C. A. (2004).**
Sexually intrusive behaviour following brain injury: Approaches to assessment and rehabilitation. *Brain Injury*, 18(3), 299-313.
- Blumer, D., & Benson, D. (1975).**
Personality changes with frontal and temporal lobe lesions. In D. Benson and D. Blumer (Eds.), *Psychiatric Aspects of Neurologic Disease*. New York: Grune & Stratton.
- Bjorkqvist, K. (1994).**
Sex differences in physical, verbal and indirect aggression: A review of recent research. *Sex Roles*, 30(3/4), 177-188.
- Burke, D. C. (1995).**
Models of brain injury rehabilitation. *Brain Injury*, 9(7), 735-743.
- Burke, W., Wesolowski, M., & Lane, I. (1988).**
A positive approach to the treatment of aggressive brain injured clients. *International Journal of Rehabilitation Research*, 11(5), 235-241.
- Carter, H.W. (2006).**
Challenging Behaviour and Disability. A Targeted Response. Website: <http://www.communities.qld.gov.au/resources/disability/publication/positive-futures-investing-in-positive-futures-full-report.pdf>
- Cassidy, J. D., Carroll, L. J., Peloso, P. M., Borg, J., von Holst, H., Holm, L., et al. (2004).**
Incidence, risk factors and prevention of mild traumatic brain injury: Results of the WHO collaborating centre task force on mild traumatic brain injury. *Journal of Rehabilitation Medicine*, S43, 28-60.
- Coetzer, R., & Du Toit, P. L. (2001).**
HoNOS-ABI: a clinically useful outcome measure? *Psychiatric Bulletin*, 25, 421-422.
- Dabbs, J. M., Jr., & Morris, R. (1990).**
Testosterone, social class and antisocial behaviour in a sample of 4,462 men. *Psychological Science*, 1(3), 209-211.
- Dickens, G. L., & Campbell, J. (2001).**
Absconding of patients from an independent UK psychiatric hospital: a 3-year retrospective analysis of events and characteristics of absconders. *Journal of Psychiatric and Mental Health Nursing*, 8, 543-550.
- Eames, P. (1987).**
Head injury rehabilitation: time for a new look. *Clinical Rehabilitation*, 1, 53-57.
- Eimear, M. C., & Mosel, K. A. (2008).**
Absconding: A review of the literature 1996-2008. *International Journal of Mental Health Nursing*, 17(5), 370-378.
- Eliason, M., Topp, B. (1984).**
Predictive validity of Rappaport's Disability Rating Scale in subjects with acute brain dysfunction. *Physical Therapy*, 64, 1357.
- Emerson, E. (1995).**
Challenging Behaviour: analysis and intervention with people with learning difficulties. Cambridge: Cambridge University Press.
- Eslinger, P. J., Grattan, L. M., & Geder, L. (1995).**
Implications of frontal lobe lesions on rehabilitation and recovery from acute brain injury. *NeuroRehabilitation*, 5, 161-182.
- Fleminger, S., Leigh, E., Eames, P., Langrell, L., Nagraj, R. & Logsdail, S. (2005).**
HoNOS-ABI: a reliable outcome measure of neuropsychiatric sequelae to brain injury? *Psychiatric Bulletin*, 29(2), 53-55.
- Fortune, N., & Wen, X. (1999).**
The Definition, Incidence and Prevalence of Acquired Brain Injury in Australia. Canberra.
- Fryer, L., & Haffey, W. (1987).**
Cognitive rehabilitation and community readaptation: Outcomes from two program models. *Journal of Head Trauma and Rehabilitation*, 2(3), 51-63.
- Giles, G. M., Wilson, J., & Dailey, W. (2009).**
Non-aversive treatment of repetitive absconding behaviour in clients with severe neuropsychiatric disorders. *Neuropsychological Rehabilitation*, 19(1), 28-40.
- Gouvier, W., Banton, P., Laporte, K., Nepomuceno, C., (1987).**
Reliability and validity of the disability rating scale and the levels of cognitive functioning scale in monitoring recovery from severe head injury. *Archives of Physical Medicine and Rehabilitation*, 68, 94-97.
- Grafman, J., Schwab, K., Warden, D., Pridgen, A., & et al. (1996).**
Frontal lobe injuries, violence, and aggression: A report of the Vietnam head injury study. *Neurology* Vol 46(5) May 1996, 1231-1238.
- Grattan, L. M., & Ghahramanlou, M. (2002).**
The rehabilitation of neurologically based social disturbances In P. J. Eslinger (Ed.), *Neuropsychological interventions: Clinical research and practice*. (pp. 266-293). New York: Guilford Press.

- Hall, K. M., Hamilton, B. B., Gordon, W. A., & Zasler, N. D. (1993).**
Characteristics and comparisons of functional assessment indices: Disability Rating Scale, Functional Independence Measure, and Functional Assessment Measure. *Journal of Head Trauma Rehabilitation* 8(2), 60-74.
- Hall, K. M., Karzmark, P., Stevens, M., Englander, J., O'Hare, P., & Wright, J. (1994).**
Family stressors in traumatic brain injury: a two-year follow up. *Archives of Physical Medicine and Rehabilitation*, 75(8), 876-884.
- Haslam, C., Batchelor, J., Fearnside, M. R., Haslam, S. A., Hawkins, S., & Kenway, E. (1994).**
Post-coma disturbance and post traumatic amnesia as nonlinear predictors of cognitive outcome following severe closed head injury: Findings from the Westmead head injury project. *Brain Injury*, 8, 519-528.
- Healey, J. (2002).**
Aboriginal Disadvantage. Rozelle, Sydney: Spinney Press.
- Helm-Estabrooks, N., & Hotz, G. (1990).**
The Brief Test of Head Injury. The Riverside Publishing Company.
- Hoofien, D., Gilboa, A., Vakil, E., & Donovick, P. J. (2001).**
Traumatic brain injury (TBI) 10-20 years later: A comprehensive outcome study of psychiatric symptomatology, cognitive abilities and psychosocial functioning. *Brain Injury*, 15, 189-209.
- Hotz, G., & Helm-Estabrooks, N. (1995a).**
Perseveration. Part II: a study of perseveration in closed-head injury. *Brain Injury*, 9(2), 161-172.
- Hotz, G., & Helm-Estabrooks, N. (1995b).**
Perseveration: A review. *Brain Injury*, 9(2), 151-159.
- Johnson, C., Knight, C., & Alderman, N. (2006).**
Challenges associated with the definition and assessment of inappropriate sexual behaviour amongst individuals with an acquired neurological impairment. *Brain Injury*, 20(7), 687-693.
- Johnson, R., & Balleny, H. (1996).**
Behaviour problems after brain injury: incidence and need for treatment. *Clinical Rehabilitation*, 10, 173-181.
- Kant, R., Duffy, J.D., & Pivovarnik, A.**
Prevalence of apathy following head injury. *Brain Injury*, 12, 87-92.
- Kelly, G., Brown, S., Todd, J., & Kremer, P. (2008).**
Challenging behaviour profiles of people with acquired brain injury living in community settings. *Brain Injury*, 22(6), 457-470.
- Kigli, R., Amital, D., Barzilay, A., Katz, T., Marzayev, Z., & Kotler, M. (2008).**
Abscending by patients from psychiatric hospital. *European Psychiatry*, 23 (suppl. 2), s85.
- Kim, S., Manes, F., Kosier, T., Baruah, S., & Robinson, R. (1999).**
Irritability following traumatic brain injury. *The Journal of Nervous and Mental Disorders*, 187(6), 327-335.
- Kinsella, G., Moran, C., Ford, B., & Ponsford, J. (1988).**
Emotional disorder and its assessment within the severe head injured population. *Psychological Medicine*, 18, 57-63.
- Kraus, J. F., & McArthur, D. L. (1999).**
Incidence and prevalence of, and costs associated with, traumatic brain injury. In M. Rosenthal, E. R. Griffith & J. S. Kreutzer (Eds.), *Rehabilitation of the Adult and Child with Traumatic Brain Injury* (3 ed., pp. 3-18). Philadelphia: Davis Company.
- Kraus, J. F., & Nourjah, P. (1989).**
The epidemiology of mild head injury. In H. S. Levin, H. M. Eisenberg & A. L. Benton (Eds.), *Mild head injury* (pp. 9-22). New York: Oxford University Press.
- Levin, H. S., High, W. M., Goethe, K. E., Sisson, R. A., Overall, J. E., Rhoades, H. M., et al. (1987).**
The neurobehavioural rating scale: Assessment of the behavioural sequelae of head injury by the clinician. *Journal of Neurology, Neurosurgery and Psychiatry*, 50, 183-193.
- Liepmann, H. (1905).**
Die linke hemisphere und das handeln muenchner. *Medizinische Wochenschrift*, 4, 2322-2326, 2375-2378.
- Lishman, W. A. (1988).**
Physiogenesis and psychogenesis in the 'post-concussional syndrome'. *British Journal of Psychiatry*, 153, 460-469.
- Manchester, D., Hodgkinson, A., & Casey, T. (1997).**
Prolonged, severe behavioural disturbance following traumatic brain injury: What can be done? *Brain Injury* Vol 11(8) Aug 1997, 605-617.
- Manchester, D., Hodgkinson, A., Pfaff, A., & Nguyen, G. (1997).**
A non-aversive approach to reducing hospital absconding in a head-injured adolescent boy. *Brain Injury*, 11(4), 271-277.
- Marin, R. S., & Wilkosz, P. A. (2005).**
Disorders of diminished motivation. *Journal of Head Trauma Rehabilitation*, 20(4), 377-388.
- Marsh, N. V., & Kersel, D. A. (2006).**
Frequency of behavioural problems at one year following traumatic brain injury: Correspondence between patient and caregiver reports. *Neuropsychological Rehabilitation*, 16, 684-694.
- McDermott, S., Fisher, K. R., & Gleeson, R. (2009).**
Evaluation of the Integrated Services Project for clients with challenging behaviour: Mid-term report, Social Policy Research Centre (SPRC) Report 14/09, report prepared for the New South Wales Department of Ageing Disability and Home Care.

- McIndoe, K. I. (1986).**
Elope: Why psychiatric patients go AWOL. *Journal of Psychosocial Nursing*, 26, 16-20.
- McKinlay, W. W., & Watkiss, A. J. (1999).**
Cognitive and behavioral effects of brain injury. In M. Rosenthal, E. R. Griffith, J. S. Kreutzer & B. Pentland (Eds.), *Rehabilitation of the adult and child with traumatic brain injury* (3rd ed., pp. 74-86). Philadelphia, PA: Davis.
- Meehan, T. (1999).**
Absconding behavior: An exploratory investigation in an acute inpatient unit. *Australia and New Zealand Journal of Psychiatry*, 33(4), 533-537.
- Miller, J. D., Pentland, B., & Berrol, S. (1990).**
Early evaluation and management. In M. Rosenthal, E. R. Griffith, M. R. Bond & J. D. Miller (Eds.), *Rehabilitation of the adult and child with traumatic brain injury* (pp. 21-51). Philadelphia: F.A. Davis.
- National Institutes of Health. (1991).**
Rehabilitation of persons with traumatic brain injury. *Journal of the American Medical Association*, 282, 974-983.
- Naugle, R. I. (1990).**
Epidemiology of traumatic brain injury. In E. D. Bigler (Ed.), *Traumatic brain injury: Mechanisms of damage, assessment, intervention, and outcome* (pp. 69-103). Austin, TX: Pro-Ed.
- Niemeier, J. P., Marwitz, J. H., Leshner, K., Walker, W. C., & Bushnik, T. (2007).**
Gender differences in executive function following traumatic brain injury. *Neuropsychological Rehabilitation*, 17, 293-313.
- Novack, T. A., Bergquist, T. F., Bennet, G., & Gouvier, W. D. (1991).**
Primary Caregiver Distress following severe head injury. *Journal of Head Trauma rehabilitation*, 6(4), 69-77.
- O'Connor, P. (2002).**
Hospitalisation due to TBI Australia 1997-98. Canberra: Australian Institute of Health and Welfare (AIHW Catalogue Numer: INJCAT 43).
- Perlesz, A., Kinsella, G., & Crowe, S. (1999).**
Impact of traumatic brain injury on the family: A critical review. *Rehabilitation Psychology*, 44, 6-35.
- Peters, L., Stambrook, M., Moore, A., & Esses, L. (1990).**
Psychosocial sequelae of closed head injury: effects on the marital relationship. *Brain Injury*, 4(1), 39-47.
- Peters, M., Gluck, M., & McCormick, M. (1992).**
Behaviour rehabilitation of the challenging client in less restrictive settings. *Brain Injury*, 6(4), 299-314.
- Povlishock, J. T. (1996).**
An overview of brain injury models. In R. K. Narayan, J. E. Wilberger & J. T. Povlishock (Eds.), *Neurotrauma*. New York: McGraw-Hill.
- Rapoport, M. J., McCullah, S., Shammi, P., & Feinstein, A. (2005).**
Cognitive impairment associated with major depression following mild and moderate traumatic brain injury. *Journal of Neuropsychiatry and clinical Neuroscience*, 17, 61-65.
- Richardson, J. (2000).**
Clinical and neuropsychological aspects of closed head injury. East Sussex, England: Psychology Press Ltd.
- Rolfe, A., Dalton, S., Krishnan, M., Orford, T., Mehdikahani, M., Cawley, J., & Ferrins-Brown, M. (2006).**
Alcohol, gender, aggression and violence: findings from the Birmingham untreated heavy drinkers project. *Journal of Substance Use*, 11(5), 343-358.
- Ryan, J. P., McGowan, J., McCaffrey, N., Ryan, G. T., Zandi, T., & Brannigan, G. G. (1995).**
Graphomotor perseveration and wandering in Alzheimer's disease. *Journal of Geriatric Psychiatry and Neurology*, 8, 209-212.
- Ryan, L. M., O'Jile, J. R., Gouvier, W. D., Parks-Levy, J., & Betz, B. (1996).**
Head injury in a college population: Analysis of epidemiological factors. *Applied Neuropsychology*, 3, 49-54.
- Sandelowski, M. (2000).**
Whatever happened to qualitative description? *Research in Nursing and Health*, 23, 334-340.
- Sandson, J., & Albert, M. L. (1984).**
Varieties of perseveration. *Neuropsychologia*, 22, 715-732.
- Scranton, J., Fogel, M. L., & Erdman, W. J. II. (1970).**
Evaluation of functional levels of patients during and following rehabilitation. *Archives of Physical Medicine and Rehabilitation*, 51, 1-21.
- Shahani, B., Burrows, P., & Whitty, C. W. M. (1970).**
The grasp reflex and perseveration. *Brain*, 93, 181-192.
- Shammi, P., & Stuss, D. T. (1999).**
Humour appreciation: a role of the right frontal lobe. *Brain*, 122(4), 657-666.
- Simpson, G., Blaszczyński, A., & Hodgkinson, A. (1999).**
Sex offending as psychosocial sequela of traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 14(6), 567-580.
- Simpson, G., Tate, R., Ferry, K., Hodgkinson, A., & Blaszczyński, A. (2001).**
Social, neuroradiologic, medical and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study. *Journal of Head Trauma Rehabilitation*, 16(6), 556-572.
- Sosin, D. M., Sniezek, J. E., & Thurman, D. J. (1996).**
Incidence of mild and moderated brain injury in the United States, 1991. *Brain Injury*, 10, 47-54.

- Stuss, D. T., & Benson, D. F. (1986).**
The frontal lobes. New York: Raven Press.
- Tate, R. L. (1999).**
Executive dysfunction and characterological changes after traumatic brain injury: Two sides of the same coin? *Cortex*, 35, 39-55.
- Tate, R. L., Perdices, M., & Maggiotto, S. (1998).**
Stability of the Wisconsin Card Sorting Test and the determination of reliability of change in scores. *The Clinical Neuropsychologist*, 12(3), 348-357.
- Tateno, A., Jorge, R. E., & Robinson, R. G. (2003).**
Clinical correlates of aggressive behavior after traumatic brain injury. *Journal of Neuropsychiatry & Clinical Neurosciences* Vol 15(2) Spr 2003, 155-160.
- Taylor, S. P., & Chermak, S. T. (1993).**
Alcohol, drugs, and human physical aggression. *Journal of Studies on Alcohol*, Suppl. 11, 78-88.
- Teasdale, T. W., & Engberg, A. W. (2001).**
Suicide after traumatic brain injury: A population study. *Journal of Neurology, Neurosurgery, and Psychiatry*, 71, 436-440.
- Teasdale, G., & Jennett, B. (1974).**
Assessment of coma and impaired consciousness: A practical scale. *Lancet*, 2(7872), 81-84.
- Todd, J., Loewy, J., Glenn, K., & Simpson, G. (2004).**
Managing challenging behaviours: Getting interventions to work in nonspecialised community settings. *Brain Impairment*, 5(1), 42-52.
- Treadwell, K. R., & Page, T. J. (1996).**
Functional analysis: Identifying the environmental determinants of severe behavior disorders. *Journal of Head Trauma and Rehabilitation*, 11, 62-74.
- Van der Naalt, J., van Zomeren, A. H., Sluiter, W. J., & Minderhoud, J. M. (1999).**
One year outcome in mild to moderate head injury: the predictive value of acute injury characteristics related to complaints and return to work. *Journal of Neurology, Neurosurgery, and Psychiatry*, 66, 207-213.
- Van Zomeren, A. H., & van den Berg, W. (1985).**
Residual complaints of patients two years after severe head injury. *Journal of Neurology, Neurosurgery, and Psychiatry*, 41, 21-28.
- Vaughan, N., Agner, D., & Clinchot, D. M. (1997).**
Perseveration and wandering as a predictor variable after brain injury. *Brain Injury*, 11(11), 815-819.
- Watson, C., Rutterford, N. A., Shortland, D., Williamson, N., & Alderman, N. (2001).**
Reduction of chronic aggressive behaviour 10 years after brain injury. *Brain Injury*, 15(11) Nov 2001, 1003-1015.
- Weir, N., Doig, E. J., Fleming, J. M., Wiemers, A., & Zemljic, C. (2006).**
Objective and behavioural assessment of the emergence from post-traumatic amnesia (PTA). *Brain Injury*, 20(9), 927-935.
- Wesolowski, M. D., Zencius, A., & Burke, W. H. (1990).**
Effects of feedback and behavior contracting on head trauma persons' inappropriate sexual behaviour. *Behavioral Interventions*, 8(2), 89-96.
- Wilson, S. A. K., & Walshe, F. M. R. (1914).**
The phenomenon of 'tonic innervation' and its relation to motor apraxia. *Brain*, 37, 199-246.
- Winkler, D., Unsworth, C., & Sloan, S. (2006).**
Factors that lead to successful community integration following severe traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 21, 8-21.
- Wood, R. L. (1988).**
Clinical constraints affecting human conditioning. In Davey, G., & Cullen, C. (Eds.). *Human operant conditioning and behavior modification*. (pp. 87-118). Oxford, England: John Wiley and Sons.
- Wood, R. L., & Liossi, C. (2006).**
Neuropsychological and Neurobehavioral Correlates of Aggression Following Traumatic Brain Injury. *Journal of Neuropsychiatry & Clinical Neurosciences* Vol 18(3) Sum 2006, 333-341.
- World Health Organization. (2001).**
International Classification of Functioning, Disability and Health (ICF). Geneva: WHO.
- Wright, J. (2000).**
The Disability Rating Scale. The Center for Outcome Measurement in Brain Injury. <http://www.tbims.org/combi/drs/drsprop.html>.
- Ylvisaker, M. (1998).**
Traumatic brain injury rehabilitation: Children and adolescents. (2nd edition). Woburn, MA (USA): Butterworth-Heinemann.
- Ylvisaker, M., & Feeney, T. (2000).**
Reflections on Dobermans, Poodles, and social rehabilitation for difficult-to-serve individuals with traumatic brain injury. *Aphasiology*, 14(4), 407-431.
- Yody, B. B., Schaub, C., Conway, J., Peters, S., Strauss, D., & Helsinger, S. (2000).**
Applied behavior management and acquired brain injury: Approaches and management. *Journal of Head Trauma Rehabilitation*, 15, 1041-1060.
- Yudovsky, S., Silver, J., & Jackson, W. (1986).**
The Overt Aggression Scale for the objective rating of verbal and physical aggression. *American Journal of Psychiatry*, 43, 35-39.
- Zeichner, A., & Pihl, R. O. (1979).**
Effects of alcohol and behavior contingencies on human aggression. *Journal of Abnormal Psychology* 88(2), 153-160.



ACI NSW Agency
for Clinical
Innovation

Street address: Tower A
Level 15, Zenith Centre
821-843 Pacific Highway
Chatswood NSW 2067

Postal address:
PO Box 699
Chatswood
NSW 2057

T +61 2 8644 2200 | **F** +61 2 8644 2151

E info@aci.health.nsw.gov.au | www.aci.health.nsw.gov.au